


THE DIMENSIONS SHOWN ON THIS DESIGNED DRAWING ARE FOR ILLUSTRATIVE PURPOSE

DIMENSIONS FOR ACTUAL CARRIER TAPE MAY SLIGHTLY DIFFERENT

REV.	MODIFICATION	DATE	DRAWING	CHECKED	APPROVED
1					
2					



Not Marked tolerance  $\pm 0.2\text{mm}$

$D_0 \text{ } \textcircled{E}$	$D_1 \text{ } \textcircled{E}$	$P_0 \text{ } \textcircled{A}$	$P_2 \text{ } \textcircled{A}$	$E \text{ } \textcircled{A}$						
$1.50^{+0.10}_{-0.00}$	$^{+0.10}_{-0.00}$	$4.00_{\pm 0.10}$	$2.00_{\pm 0.10}$	$1.75_{\pm 0.10}$						
$K_0 \text{ } \textcircled{C}$	$K_1 \text{ } \textcircled{C}$	$P_1 \text{ } \textcircled{A}$	$F \text{ } \textcircled{A}$	$T \text{ } \textcircled{E}$						
$3.15_{\pm 0.10}$	$_{\pm 0.10}$	$8.00_{\pm 0.10}$	$11.50_{\pm 0.10}$	$0.40_{\pm 0.05}$						
ITEM	W $\textcircled{E}$	$A_0 \text{ } \textcircled{A}$	$A_1 \text{ } \textcircled{A}$	$B_0 \text{ } \textcircled{A}$	$B_1 \text{ } \textcircled{A}$	$K_0 \text{ } \textcircled{C}$	$K_1 \text{ } \textcircled{C}$	$P_1 \text{ } \textcircled{A}$	$F \text{ } \textcircled{A}$	$T \text{ } \textcircled{E}$
DIM	$24.00_{\pm 0.30}$	$1.19_{\pm 0.10}$	$_{\pm 0.10}$	$1.19_{\pm 0.10}$	$_{\pm 0.10}$	$3.15_{\pm 0.10}$	$_{\pm 0.10}$	$8.00_{\pm 0.10}$	$11.50_{\pm 0.10}$	$0.40_{\pm 0.05}$
ALTERNATE										

- 1.The Maximum cumulative tolerance is  $\pm 0.2\text{mm}$  for 10 sprocket hole pitch
- 2.Cambers do not exceed 1.0mm in 250mm length
- 3.All dimension follow EIA-481-D series definition
- 4.Material: PS black
- 5.One 13" Reel=10 Meters

RoHS Compliance	NAME.	CARRIER TAPE	Mold Ref		SIZE	A4	DSGD		DIM TOL	Ang Tol	
	Mold Ref	1.19x1.19x3.15	Customer P/N		SHEET	1/1	PROJ		$X \pm 0.30$	$X.XX \pm 0.10$	$X^X \pm 5'$
	MATERIAL	PS BLACK	SCALE	1:1	REV	A/0	CHKD		$X.X \pm 0.20$	$X.XX \pm 0.05$	$.XX \pm 3'$
			UNIT	MM	DATE	2025-1-6	APPD				