


Name and type of the main testing instrument and equipment :

..... WSB-1 Temperature and humidity display instrument

..... ZC-90D Insulated resistance tester Standard electrode

..... WGD/SJ-403 Programmable temperature and humidity control

Test conditions : Temperature ..26.. °C



Humidity ..15.. %



Sample photo:



Remarks : The test method refer to the ANSI/ESD STM11.11 and ANSI/ESD S541 .




..... Conducting electrostatic type $< 1.0 \times 10^4$ (Ω)

..... Electrostatic dissipation type $1.0 \times 10^4 \sim 1.0 \times 10^{11}$ (Ω)



Test results summary table

Test Item	Specification and requirement	Sample	Test result		
			Max	Min	Mean
Surface Resistance	ANSI/ESD S541 ANSI/ESD STM11.11 Conducting electrostatic type $< 1.0 \times 10^4 (\Omega)$ Electrostatic dissipation type $1.0 \times 10^4 \sim 1.0 \times 10^{11} (\Omega)$	1	$2.77 \times 10^7 \Omega$	$1.21 \times 10^7 \Omega$	$1.99 \times 10^7 \Omega$
		2	$2.29 \times 10^7 \Omega$	$1.33 \times 10^7 \Omega$	$1.81 \times 10^7 \Omega$
		3	$1.89 \times 10^7 \Omega$	$1.19 \times 10^7 \Omega$	$1.54 \times 10^7 \Omega$
		4	$1.66 \times 10^7 \Omega$	$1.26 \times 10^7 \Omega$	$1.46 \times 10^7 \Omega$
		5	$1.74 \times 10^7 \Omega$	$1.02 \times 10^7 \Omega$	$1.38 \times 10^7 \Omega$
		6	$2.17 \times 10^7 \Omega$	$1.79 \times 10^7 \Omega$	$1.98 \times 10^7 \Omega$

Approval by:  Examination by:  Chief test by: 

检验报告
专用章



Product Name	Cover Tape	Model	-----
		Type	-----
Customer	Sinho Electronic Co., Ltd .	Manufacturer	Sinho Electronic Co., Ltd .
Test Type	Entrusted Test	Date of Production	2017/6/3
Sample Sender	-----	Sample-receiving Date	August 3, 2017
Sampling Site	-----	Sampling Base	-----
Submission	Anne Wu	Delivering Date	August 9, 2017
Test Date	August 9, 2017	Sample Quantity	2PCS
Test Project	Surface resistance		
Test Base	ANSI/ESD S541 ANSI/ESD STM11.11		
Test Conclusion	<p>Please refer to page2.</p> <p>The test report is valid for a period of twelve months.</p> <p>This report is invalid without special seal for test and seal on the perforation.</p> <p style="text-align: right;">Issue date August 10, 2017</p> <p style="text-align: right;">(Seal of inspection unit seal effectively)</p>		

Approval by:

Examination by:

Chief test by:

七律公司